

## DAFTAR PUSTAKA

- Abaca, A., S.R. Kawuki, P. Tukamuhabwa, Y. Baguma, A. Pariyo, J. Orone, T. Alicai, A. Bua, and C.A. Omongo. 2012. Progression of *Cassava brown streak disease* (CBSD) in infected cassava roots in Uganda. *Uganda J. of Agric. Sci.* 13(1): 45–51.
- Abadi, L.A. 2000. Epidemiologi dan strategi pengelolaan penyakit tanaman. Fakultas Pertanian Universitas Brawijaya. Lembaga Penerbitan. Fak. Pertanian Univ. Brawijaya. 116 hlm.
- ADAP. 2000. Bacterial blight of mendioka (cassava) (*Xanthomonas campestris* pv. *manihotis*). *Agric. Pest of the Pacific*. 1 p.
- Adeniji, M.O. and G.O. Obigbesan. 1976. The effect of potassium nutrition on the bacterial wilt cassava. *Nigerian J. of Plant Protection* 2: 1–3.
- Adjata, K.D., E. Muller, M. Aziadekey, Y.M.D. Gumedzoe and M. Peterschmitt. 2008. Incidence of cassava viral disease and first identification of *East African cassava mosaic virus* and *Indian cassava mosaic virus* by PCR in cassava (*Manihot esculenta* Crantz.) field in Togo. *American J. of Plant Physiology* : 73–80.
- Agrios, G.N. 1988. *Plant Pathology*. Third edition. Academic Press, Inc. San Diego, California. 803 pp.
- Aigbe, S.O. and S.U. Remison. 2009. The influence of root rot incidence on cassava genotype on consumers acceptability on the gari produce from it. *African J. BioTech.* 8(22): 6146-6150.
- Aigbe, S.O. and S.U. Remison. 2010a. The influence of root rot on dry matter partition of three cassava cultivars planted in different agro-ecological environments. *Asian J. Plant Pathology* 4(2): 82-89.
- Aigbe, S.O. and S.U. Remison. 2010c. Minor root rot pathogens of cassava (*Manihot esculenta* Crantz.) in Nigeria. *Archives Phytopathology and Plant Protection* 43(13): 1335-1341.
- Aigbe, S.O., and S.U. Remison. 2010d. The molecular grouping of *Fusarium* isolate on cassava in Nigeria. *Archives of Phytopathology and Plant Protection* 43(13): 1342-1345.
- Aigbe, S.O. and S.U. Remison. 2010b. The influence of root rot on root starch content of cassava in differential ecological environment of Nigeria. *Nigerian Annal. Natural Sciences* 10(1): 60-70.
- Alicai, T., C.A. Omongo, M.N. Maruthi, R.J. Hillocks, Y. Baguna, R. Kawuki, A. Bua, G.W. Otim-Nape, and J. Colvin. 2007. Re-emergent of Cassava brown streak disease in Uganda. *Plant Disease* 91: 24-29.

- Alvarez, E., G. Liano, and J. Loke. 2005. Development of ecological practices to manage *Phytophthora* root rot of cassava (*Manihot esculenta*) CIAT. <http://www.ciat.cigar.org/iprn/index.htm>.
- Alvarez, E., J.F. Mejia, G.A. Elano, and Y.B. Loke. 2007. Detection and characterization of phytoplasma associated with frog-skin disease of cassava. *Bull. Insectology* 60(2): 273-274.
- Alvarez, E., J.F. Mejia, G.A. Liano, J.B. Loke, A. Catari, B. Duduk and A. Bertaccini. 2009. Characterization of a phytoplasma associated with frog-skin disease in cassava. *Plant Disease* 93: 1139-1145.
- Alvarez, E., J.M. Pardo, J.F. Mejia, A. Bertaccini, N.D. Thanh and T.X. Hoat. 2013. Detection and identification of Candidatus Phytoplasma asteris-related phytoplasma associated with witches' broom disease of cassava in Vietnam. *Phytopathogenic mollicutes*. *Indian J.com.* pp:77-81.
- Alvarez, E., J.M. Pardo, and J.M. Truke. 2014. Detection and identification of 'Candidatus Phytoplasma asteris' related phytoplasma associated with a witches'broom disease of cassava in Cambodia. 2014 APS-CPS joint meeting August 9-13. Minneapolis, Minnesota (Abstrc.).
- Amadioha, A.C. and A.A. Markson. 2007. Control of storage rot of cassava tuber caused by *Rhizopus oryzae* using some plant extracts. *Archieves of Phytopathology and Plant Protection* 40(6): 381-388.
- Ambang, Z., A. Akoa, N. Bakolo, J. Nantia, L. Nyobe, and Y.S.B. Ongono. 2007. Tolerance de quelques cultivars de manioc (*Manihot esculenta* Crantz.) et de l'espece (*Manihot glaziovii*) a la mosaïque virale Africaine et alacecosporiose du manioc. *Tropicultura* 25(3): 140-146.
- Amusa, N.A. 1998. Evaluation of cassava clones for resistance to anthracnose disease using phytotoxic metabolites of *Colletotrichum gloeosporioides* f. sp. *manihotis* and its correlation with fields disease reaction. *Tropical Agric. Res. and Dev.* s 1(2): 116-120.
- Appah, J., K.A. Oduro, and H.B. Dampsey. 1999. Studies on Cassava bacterial blight isolation of *Xanthomonas manihotis* and *Xanthomonas cassavae* in Port Harcourt, Nigeria. *Ghana J. Sci.* 39: 33-41.
- Arocha, Y., R. Echodu, D. Telengera, J. Muhangi, E. Rockefeller, O. Asher, R. Nakacwa, R. Serugga, G. Gumisiriza, J. Tripathi, D. Kabuye, M. Otipa, K. Vutseme, M. Lukanda, and E. Boa. 2009. Occurrence of *Candidatus phytoplasma aurantifolia* (16 SrII group) in cassava and four other species in Uganda. *Plant Pathology* 58:390.
- Asiama, Y., G.A. Mbofung and D.H.A.K. Amewowor. 1998. Incidence of cassava root rot in Central regions of Ghana. *J. Ghana Sci. Association* 1(1): 40-49.

- Ayesu-Offei, E.N. and C. Antwi-Boasiako. 1996. Production of microconidia by *Cercospora henningsii* Allesch., cause of brown leaf spot of cassava (*Manihot esculenta* Cranzt.) and tree cassava (*Manihot glaziovii* Muell.-Arg). *Annals of Botany* 78: 653–657.
- Babu, A.M., T. Philip, B.K. Kariappa, and C.K. Kamble. 2009. Scanning electron microscopy of the infection process of *Cercospora henningsii* on cassava leaves. *J. Phytopathology* 157(1): 57–62.
- Balagopalan, C. 2000. Integrated technologies for value addition and post harvest management in tropical tuber crops. Central Tuber Crops Res. Institute, Kerala India.
- Balitkabi. 2013. Deskripsi Varietas Unggul Kacang-kacangan dan Umbi-umbian. Balitkabi Malang. 172 hlm.
- Bandyopadhyay, R., M. Mwangi, S.O. Aigbe and J.F. Leslie. 2006. Fusarium species from the cassava root rot complexes in West Africa. *Phytopathology* 96: 673–676.
- Banito, A., K.E. Kpemono, B. Bisang and K. Widra. 2010. Assessment of cassava root and stem rot in Ecozones of Togo and evaluation of the pathogen virulence. *Pakistan J. Botany* 42(3): 2059–2068.
- Banito. 2003. Integrated control of Cassava bacterial blight in West Africa in relation to ecozones, host plant resistance and cultural practices. Dissertation. Universitas Hannover. 165 pp.
- Basuki. 1984. Penyakit akar putih pada karet, saran-saran mengenai pemberantasannya. Lokakarya Karet PN/PT Perkebunan wilayah I Medan. Nopember 1984.
- Benigno, D.R.A. and F.C. Quebral. 1977. Host index of plant diseases in the Philippines. *Univ. Philippines Coll. Agric. Los Banos*. 183 pp.
- Berrie, L.C., K.E. Palmer, E.P. Rybick, and M.E.C. Rey. 1998. Molecular characterization of a distinct South African cassava infecting geminivirus. *Archieve of Virology* 143: 2253–2260.
- Bi, H., M. Aileni, and P. Zhang. 2010. Evaluation of cassava varieties for cassava mosaic disease resistance jointly by agro-inoculation screening and molecular marker. *African J. of Plant Sci.* 4(9): 330–338.
- Bigirimana, S., P. Barumbanze, P. Ndayinzamaso, R. Shirima, and J.P. Legg. 2011. First report of Cassava brown streak disease and associated Ugandan Cassava Brown streak virus in Burundi. *New Disease Reports* 24:26.(<http://dx.doi.org/10.5197/J.2044-0588.2011.024.026>).
- Bock, K.R. 1994. Studies on Cassava Brown streak virus disease in Kenya. *Tropical Sci.* 34: 134–145.

- Bock, K.R. and E.J. Guthrie. 1978. Transmission of African cassava mosaic by mechanical inoculations. *Plant Disease Reporter* 62(7): 580–581.
- Bock, K.R. and R.D. Wood. 1983. Etiology of African cassava mosaic disease. *Plant Disease* 67: 994–995.
- Boher, B. and V. Verdier. 1994. Cassava bacterial blight in Africa: The state of knowledge and implications for designing control strategies. *African Crop Sci. J.* 2(4): 505–509.
- Booth, R.H. 1977. A review of root rot in cassava. Proc. Cassava protection workshop. CIAT Cali-Columbia 7-12 Nov. 1977. Pp: 121–133.
- Booth, R.H. and D.G. Coursey. 1974. Storage of cassava roots and related post harvest problems In E.V. Araullo, B. Nestel and M. Campbell (Edt.) *Cassava Processing and Storage*. Proc. of an Interdisciplinary Workshop. IDRC. Ottawa. Pp:43–49.
- BPS. 2013. Statistik Indonesia. Badan Pusat Statistik Indonesia. Jakarta.
- Brunt, A.A., K. Crabtree, M.J. Dallwitz, A.J. Gibbs, L. Watson, and E.J. Zurcher. 1996. Cassava common mosaic virus. *Plant virus online: Description and List from the VIDE database*. 6pp
- Brunt, A.A., K. Crabtree, M.J. Dalwiitz, A.J. Gibbs, L. Wilson, and E.J. Zurcher. 1996. Cassava vein mosaic virus. *Plant virus online: Descriptions and List from VIDE Database*. 5 pp.
- Bua, B. and C. Okello. 2011. Isolation and identification of cassava root rot disease causal pathogens from Lira district, Uganda. *African Crop Sci. Conf. Proc.* Vol.10: 183–186.
- Buensanteai, N., and D. Athinuwat. 2012. The antagonistic activity of *Trichoderma viridens* strain TvSUT 10 against cassava stem rot in Thailand. *African J. of BioTech.* 11(84): 14996–15001.
- Buschman, H., M. Rodriquez, J. Tohmes, and J.R. Beeching. 2000. Accumulation of hydroxycoumarin during post harvest deterioration of tuberous roots of cassava (*Manihot esculenta* Crantz.) *Annals of Botany* 86: 1153–1160.
- Butare, I., and F. Banyangabose. 1982. Effect of soil fertility on Cassava bacterial blight in Rwanda In *Root crops in eastern Africa. Proceeding of a Workshop*. Kigali, Rwanda 23-27 November 1980. IDRC Ottawa, Canada. Pp: 53–55.
- Cacai, G.H.T., H.A. Sagbadja, B.S. Kumulugui, P.O. Ovono, J. Houngue, and C. Ahanhanzo. 2013. Eradication of cassava (*Manihot esculenta*) mosaic symptoms through thermotherapy and meristems cultured in vitro. *International J. of Agronomy and Plant Production* 4(5): 3697–3701.

- Calvert, L.A. and J.M. Thrtesh. 2002. The viruses and virus diseases of cassava pp:237-260 In R.J. Hillocks, J.M. Thrtesh, and A.C. Belloti (Ed.). Cassava: Biology, production and utilization. CAB International.
- Calvert, L.A., M. Cuervo, L. Lozano, N. Villareal, and J. Arroyave. 2008. Identification of three strain of virus associated with cassava plants affected by frog-skin disease. *J. of Phytopathology* 156: 647–653.
- Calvert, L.A., M.D. Ospina, and R.J. Sheperd. 1995. Characterization of Cassava vein mosaic virus a distinct plant pararetrovirus. *J. General Virology* 76: 1271–1276.
- Calvert, L.A., M.I. Cuervo, M.D. Ospina, C.M. Faucina, and B.C. Ramirez. 1996. Characterization of Cassava common mosaic virus and a defective RNA species. *J. Gen Virol.* 77: 525–530.
- Champa, W.A.H., R.M.R.N.K. Ratnayake, and B.M.K.S. Thilakarathne. 2014. Development of an appropriate methodology for extending shelf life of cassava. *International Res. Symp. on Post Harvest Technology.* Institute of Post Harvest Tech. . pp: 76–81.
- Charles, A.B. 1991. Studies on some aspect of the biology of *Cercospora henningsii* Allesch to the epidemiology of Brown leaf-spot disease of cassava (*Manihot esculenta* Cratz.) and tree cassava (*Manihot glaziovii* Muell.-Arg.). Thesis Kwame Nkrumah University.
- Chen, C.T., N.J. Ko and M.J. Chen. 1981. Electron microscopy of Cassava common mosaic in Taiwan. *Report of the sugar Res. inspectorate.* 92: 20–27.
- Chukwuka, K.S., R.U. Okechukwu, and J.N. Azorji. 2013. Farmer perception of Cassava bacterial blight disease in Oyo-state, South-west Nigeria. *African J. of Root and Tuber Crops* 10(1): 67–74.
- CIAT. 1975. Cassava production system In *Annual Report 1974.* Cali, Columbia. pp: 54–109.
- CIAT. 1976. Cassava production system In. *Annual Report 1975.* Cali, Columbia. pp: B1–B57.
- Cock, J.H. 1978. A physiological basis of yield loss in cassava due to pests In Brekelbaum, T., A. Belloti, and J.C. Losano (Eds) *Proc. Cassava Protection workshop.* CIAT Cali, Columbia 7-12 November 1977. Pp: 9–16.
- COPR (Centre for Overseas Pest Research). 1986. *Pest control in tropical root crops.* PANS Manual No. 4. London. 235pp.
- Costa, A.S. and E.W. Kitajima. 1972a. Cassava common mosaic virus. *CMI/AAB. Description of Plant Viruses.* United Kingdom. 4 pp.
- Costa, A.S. and E.W. Kitajima. 1972b. Studies on virus and mycoplasma diseases

- of the cassava plant in Brazilia. Proc. of cassava mosaic workshop IITA, Ibadan Nigeria. P 18.
- Daniel, J.F. and B. Boher.1985. Epiphytic phase of *Xanthomonas campestris* pv. *manihotis* on aerial part of cassava. *Agronomie* 5(2): 111–116.
- Davis, R.I., L. Mu, A. Malau and P. Jones. 2006. Survey for plant diseases caused by viruses & virus-like pathogens in the French Pacific Overseas country of French Polynesia & the French Pacific territory of Wallis & Futuna. 29 pp.
- De Kochko, A., B. Verdaquer, N. Taylor, B. Carcamo, R.N. Beachy, and C. Fauquet. 1999. Cassava vein mosaic virus (CVMV), type species for a new genus of plant double stranded DNA viruses?. *Arch. Virology* 143(5): 945–962.
- Dezal, O.I., M.K. Palomar, and C.M. Naptere. 1980. Host range of *Xanthomonas manihotis* Starr. *Annals of Tropical Res.* 2: 149–155.
- Deng, D., G.W. Otim-Nape, A. Sangare, S. Ogwal, R.N. Beachy and C.M. Fauquet. 1997. Presence of new virus closely related to East African cassava mosaic geminivirus associated with cassava mosaic outbreak in Uganda. *African J. of root and tuber crops* 2: 23–28.
- Doi, Y., M. Teranaka, K. Yora and H. Asuyama. 1967. Mycoplasma or PLT-group like microorganism found in the phloem elements of plants infected with mulberry dwarf, potato witches' broom, aster yellow or poulownia witches' broom. *Ann. Phytopath. Soc. Japan* 33: 259–266.
- Dubern, J. 1994. Transmission of African cassava mosaic geminivirus by whitefly *Bemisia tabaci*. *Tropical Sci.* 34: 82-91.
- Ekundayo, J.A. and T.M. Daniel. 1973. Cassava rot and its control. *British Mycological Soc.* 61(1): 27–32.
- Elango, F.N. and J.C. Lozano. 1981. Epiphytic survival of *Xanthomonas manihotis* in common weeds in Columbia. Proc. Fifth International Conference Plant Pathology Bact. CIAT. Pp: 203–209.
- Elegba, W., A.S. Appiah, E. Azu, N. Afful, W.K.S. Agbemavor, J.A. Amponsah, M.O. Asare, B. Quaye, and K.E. Danso. 2013. Effect of mosaic diseases on dry matter content and starch yield of five cassava (*Manihot esculenta* Crantz) assessments in Ghana. *Academic J.* 12(7): 4310–316.
- Elliott, M.S. and F.W. Zettler. 1987. Cassava common mosaic virus infection of Chaya (*Cnidoscolus aconitifolius*) in Yucatan, Mexico. *Plant Disease* 71: 353–356.
- Escobar, M.A. and A.M. Dandekar. 2003. *Agrotumefaciens* as an agent of diseases. *Trends in Plant Sci.* 8(8): 380–386.
- Essono, G., M. Ayodele, A. Akoa, J. Foko, S. Olembo, and J.Gockoowski. 2007.

- Aspergillus species on cassava chips in storage in rural areas of southern Cameroon: Their relationship with storage duration, moisture content and processing methods. *Africa J. of Microbiology Res.* pp: 001–008.
- Fanou, A.A., and K. Wydra. 2014. Removal of symptomatic cassava leaves as cultural practice to control cassava bacterial blight. *International J. of Phytopathology* 03(03): 117-124.
- Fanou, A.A., K. Wydra, M. Zandjanakou, and K. Randolph. 1998. Epidemiological studies on the role of weeds, plant debris and vector transmission in survival and spread of *Xanthomonas campestris* pv. *manihotis* causal agent of cassava bacterial blight. International congress of plant pathology, International plant pathology/British Society for plant pathology. Edinburgh (Abstract).
- FAO. 2012. Food and Agricultural commodities production. Countries by commodities. [Faostat.fao.org/site/339/default](http://faostat.fao.org/site/339/default). Diakses 3 April 2015.
- Fargette, D. and B.D. Harrison. 1998. Cassava Ivorian bacilliform virus. Description of Plant viruses. Association of Applied Biologist (AAB) No.361: 6 pp.
- Fargette, D., C. Fauquet, and J.C. Thouvenel. 1987. Cassava crop losses due to the African Cassava Mosaic Virus. *Trop. Pest Management* 34: 97-99.
- Fargette, D., C. Fauquet, and J.C. Thouvenel. 1988. Yield losses induced by African cassava mosaic virus in relation to the mode and the date of infection. *Tropical Pest Management*. 34(1): 89-91.
- Fargette, D., C. Fauquet, E. Grenier and J.M. Thresh. 1990. The spread of African cassava mosaic virus into and within cassava fields. *J. of Phytopathology* 130: 289-302.
- Fargette, D., I.M. Robert, and B.D. Harrison. 1991. Particle purification and properties of Cassava Ivorian bacilliform virus. *Annals Applied Biology* 119: 303-312.
- Fauquet, C. and D. Fargette. 1990. African cassava mosaic virus: Etiology, Epidemiology, and Control. *Plant Disease* 74(6): 404-411.
- Flores, D., I. Cristina-Haas, M.C. Canale, and I.P. Bedendo. 2013. Molecular identification of a 16 SrIII-B phytoplasma associated with cassava witches' broom disease. *Europa J. Plant Pathology* 137(2): 237-242.
- Fokunang, C.N. and A.G.O. Dixon. 2006. Post-harvest evaluation of *Colletotrichum gloeosporioides* f.sp. *manihotis* on cassava genotypes. *Plant Pathology J.* 5(1): 60-66.
- Fokunang, C.N., A.G.O Dixon, C.N. Akem, T. Ikotun. 2000b. Cultural, morphological and pathogenic variability in *Colletotrichum gloeosporioides* f.sp. *manihotis* isolat from cassava (*Manihot esculenta*) in Nigeria. *Pakistan J. of Biological*

- Sciences 3(4): 542-546.
- Fokunang, C.N., A.G.O. Dixon, and T. Ikotun. 2003. Synergistic relationship of bacterial blight and anthracnose disease patogen in cassava multiple infection. J. Biol. Sci. 3(6): 596-606.
- Fokunang, C.N., A.G.O. Dixon, and T. Ikotun. 2004. Survival and overseasoning of *Colletotrichum gloeosporioides* F. sp. *manihotis* on post harvest cassava (*Manihot esculenta* Crantz) plant materials and soils. J. of Biological Sci. 4(4): 423-430.
- Fokunang, C.N., A.G.O. Dixon, T. Ikotun, C.N. Akem and E.A. Tembe. 2002. Rapid screening method of cassava cultivars for resistance to *Colletotrichum gloeosporioides* f.sp. *manihotis*. J. of Phytopathology 150(1): 6-12.
- Fokunang, C.N., A.G.O. Dixon, T. Ikotun, E.A. Tembe, C.N. Akem and R. Asiedu. 2001b. Anthracnose: an economic disease of cassava in Africa. Pakistan J. of Biological Science. 4(7): 920-925.
- Fokunang, C.N., A.G.O. Dixon, T. Ikotun, R. Asiedu, E.A. Tembe and C.N. Akem. 2001a. *In vitro*, green house and field assessment of cassava lines for resistance to anthracnose disease caused by *Colletotrichum gloeosporioides* f. sp. *manihotis*. Mycopathologia 154: 191-198.
- Fokunang, C.N., C.N. Akem, T. Ikotun, A.G.O. Dixon and E.A. Tembe. 2000c. Role of insect vector, *Pseudotheraptus devastans* in cassava anthracnose disease development. European J. of Plant Pathology 106(4): 319-327.
- Fokunang, C.N., C.N. Akem, T. Ikotun, and A.G.O. Dixon. 1999. Effect of planting season on cassava anthracnose disease development. Crop Protection 18: 407-413.
- Fokunang, C.N., T. Ikotun, A.G.O. Dixon, and C.N. Akem. 1997. First report of *Colletotrichum gloeosporioides* f. sp. *manihotis* cause of cassava anthracnose disease, being seed-borne and seed transmitted in cassava. Plant Disease 81(6): 695
- Fokunang, C.N., T. Ikotun, A.G.O. Dixon, and C.N. Akem. 2000a. Field reaction of cassava genotypes to anthracnose, bacterial blight, cassava mosaic disease and their effect on yield. African Crop Science J. 8(2):179-186.
- Fondong, V.N., J.S. Pita, M.E.C. Rey, A. de Kochko, R.N. Beachy and C.M. Fauquet. 2000. Evidence of synergism between African cassava mosaic virus and a new double-recombinant geminivirus infecting cassava in Cameroon. J. of General Virology 81: 287-297.
- Frison, E.A. and E. Feliu. 1991. FAO/IBPGR Technical Guidelines for the Safe Movement of Cassava Germplasm. CIAT.48 pp.
- Geddes, A.M.W. 1990. The relative importance of crop pests in Sub-Saharan Africa. Bulletin No. 36; Natural Resources Institute Chatham.



- Gibson, R.W. and G.W. Otim-Nape. 1997. Factors determining recovery and reversion in mosaic disease in African cassava mosaic virus resistant cassava. *Ann. Appl. Biol.* 131: 259-271.
- Gnonlonfin, G.J.B., K. Hell, P. Fandohan, and A.B. Siame. 2008. Mycoflora and natural occurrence of aflatoxin B1 in cassava and yam chips from Benin, West Africa. *International J. of Food Microbiology* 122:140-147.
- Granada, G. A. 1990. Review of the status of cassava production in Colombia with regard to sanitary problems. In S. K. Hahn and F. E. Caveness (Eds.). *Integrated pest management for tropical root and tuber crops*. IITA Ibadan, Nigeria. p:149-155.
- Guevara, Y.,A. Rondobn, E. Arnal, Z. Suarez, R. Solorzano and R. Navas. 1992. Bacterial stem rot in Venezuela. *Fitopatologia Venezolana* 5(2): 33-36.
- Guo, H., C.P. Li, T. Shi, C.J. Fan and G.X. Huang. 2012. First report of *Phytophthora palmivora* causing root rot of cassava in China. *Plant Disease* 96(7): 1072.
- Hahn, S.K. 1978. Breeding cassava for resistance to bacterial blight. *PANS* 24: 480-486.
- Hardaningsih, S., N. Saleh dan M. Hadi . 2012. Identifikasi Penyakit ubi kayu di provinsi Lampung. *Prosiding Seminar Hasil Penelitian Tanaman Aneka kacang dan Umbi Tahun 2012*: 604-609.
- Harrison, B.D., X. Zhou, G.W Otim-Nape, Y. Liu and D.J. Robinson. 1997. Role of novel type of double infection in the geminivirus-induced epidemic of severe cassava mosaic in Uganda. *Annals of Applied Biology* 131: 437-446.
- Hayward, A.C. 1991. Biology and epidemiology of bacterial wilt caused by *Pseudomonas solanacearum*. *Annual reviews Phytopathology*. 29: 65-87.
- Hernandez, J.M., R. Laberry and J.C. Lozano. 1986. Observation on the effect of inoculating cassava (*Manihot esculenta*) planlets with fluorescent pseudomonads. *J. Phytopathology* 117:17-25.
- Hillock, R.J., M.D. Raya, and J.M. Thresh. 1996. The association between root necrosis and above symptoms of Brown streak virus infection of cassava in Southern Tanzania. *International J. of Pest Management* 42: 285-289.
- Hillock. R.J., M. Raya, K. Mtunda, and H. Klozia. 2001. Effect of brown streak virus disease on yield and quality of cassava in Tanzania. *J. of Phytopathology* 149: 1-8.
- Hillocks, R.J. and K. Wydra. 2002. Bacterial, fungal, and nematode diseases In R.J. Hillocks , J.M. Thresh, and A.C. Belloti. 2002. *Cassava. Biology, production and utilization*. CABI Publishing. P:261-280.
- Hillocks, R.J., M.D. Raya, and J.M. Thresh. 1999. Distribution and symptoms expression of Cassava brown streak disease in southern Tanzania. *African J.*

Root tuber crops 3: 57-61.

- Homenauth, O. and S.P. De Souza. 2012. Pest and diseases of cassava in Guyana. 21 pp.
- Hridya, A.C., G. Byju and R.S. Misra. 2012. Effect of biocontrol agents and bio-fertilizer on root rot, yield, harvest index and nutrient uptake of cassava (*Manihot esculenta* Crantz.) Archives of Agronomy and soil Sci. (Abstract).
- Ibrahim, M. and K. Shehu. 2014. Relationship of soil born mycoflora of cassava growing fields to incidence of postharvest rots of cassava tubers in Sokoto, Nigeria. Aceh Int. J. Sci. Technol 3(3): 168-173.
- ICTV dB Management. 2006. Cassava Ivorian bacilliform virus. In. ICTBdB. The Universal Virus Database, version 4 Buchen-Osmond, C. (Ed.) Columbia University, New York 4 pp.
- Ikediegwu, F.E.O. and A.U. Ajale. 1980. Root surface mycoflora of cassava (*Manihot esculenta*) and post harvest rot of tubers. Mycopathologia 71(2): 67-71.
- Ikotun, T., and S.K. Hahn. 1994. Screening cassava cultivars for resistance to the cassava anthracnose disease (CAD). Acta Horticulturae 380: 178-183.
- Jackson, G.V.H., and L. Liloqula. 1991. Cassava green mottle virus in Solomons islands.
- Jameson, J.D. 1964. Cassava mosaic disease in Uganda. E.Africa Agric. J. 30:208-213.
- Jeng Chen, L., Sheng Lin, Y., Jin Teng K., and Hsin Chung W. 2014. Vine cutting as possible initial inoculum source of *Ralstonia solanacearum* race-1 biovar 4 on vegetable sweet potato infields. European J. of Plant Pathology 140(1): 83-95.
- Joseph, J. And F. Elango. 1991. The status of Cassava bacterial blight caused by *Xanthomonas campestris* pv. *manihotis* in Trinidad. J Phytopathology 133: 320-326.
- Kaiser, W.J., and R. Louie. 1982. Heat therapy of cassava infected with African cassava mosaic diseases. Plant Disease 66: 475-477.
- Kasirivu, J.B.K., O.F. Esuruoso, and E.R. Terry. 1980. Field screening of cassava for resistance to *Cercospora henningsii*. Proc. of the first Triennial root crops symposium of the International Society for Tropical Root Crops. 8-12 September 1980. (Abstract).
- Kasirivu, J.B.K., O.F. Esuruoso, and E.R. Terry. 1981. Field screening of cassava clones for resistance to *Cercospora henningsii*. In : E.R. Terry, K.A. Udoro, and F. Caveness (Eds.). Tropical root crops: Res. strategies for the 1980s. IDRC, Ottawa, Canada. p:49-57.
- Kavia, F.Y., C.C. Mushongi and G.B. Sonda. 2007. Factors affecting adoption of cassava varieties: a case of Cassava mosaic Disease tolerant varieties in Lake Zone regions, Tanzania. Africas Crop Sci. Conference Proc. . Vol 8: 1875-1878.

- Kerstin, W., B. Agnassim, K. Kossi. 2007. Characterization of resistance of cassava genotypes to bacterial blight by evaluation of leaf and systemic symptoms in relation to yield in different ecozone. *Euphytica* 155(3): 337-348.
- Khizzah, B.W., D. Ocan, and G. Openy. 2011. Cassava Brown streak virus disease (CBSD): A new threat to Cassava industry in Uganda. Dept. Agronomy and Bio-system Engineer, Gulu University. Uganda. 7pp.
- Khokhar, M.K. and R. Gupta. 2014. Integrated disease management. *Popular Kheti* 2(1): 87-91.
- Kitajima, E.W., C. Wetter, A.R. Oliveira, D.M. Silva and A.S. Costa. 1965. Morphology of Cassava common mosaic virus. *Bragantia* 24: 4 pp.
- Kpemoua, K., B. Boher, M. Nichols, P. Catalayud, and J.P. Geiger. 1996. Cytochemistry of defence responses in cassava infected by *Xanthomonas campestris* pv. *manihotis*. *Canadian J. of Microbiology* 42(11): 1131-1143.
- Kumakech, A., A. Acipa, V. Tumwine, and G.A. Maiteki. 2013. Knowledge on Cassava disease management: The case of Cassava brown streak disease awareness in Northern Uganda. *Academic J.* 7(12): 597-601.
- Kunkeaw, S., J. Worapong, D.R. Smith, and K. Triwitayakom. 2010. An in-vitro detached leaf assay for pre-screening resistance to anthracnose disease in cassava (*Manihot esculenta* Crantz). *Australian Plant Pathology* 39(6): 547-550.
- Legg, J.P. 1999. Emergence, spread, and strategies for controlling the pandemic of Cassava mosaic virus disease in east and central Africa. *Crop Protection* 18: 627-637.
- Legg, J.P. and J.M. Thress. 2009. Cassava virus diseases in Africa. *Plant virology in sub-Saharan Africa*.p:547-583.
- Lennon, A.M., M.M. Aiton, B.D. Harrison. 1987. Purification and properties of Cassava green mottle virus, a previously undescribed virus from the Solomon islands. *Ann. Applied Biology* 110: 545-555.
- Leu, L.S. 1977. Concentric-ring leaf spot (*Phoma* sp) of cassava. Proc. cassava protection workshop. CIAT Cali Columbia. 7-12 November 1977. Pp: 117-120.
- Lister, R.M. 1956. Mechanical transmission of Cassava brown streak virus. *Nature* 183: 1588-1589.
- Lopez, G.M. 1977. American virus and mycoplasma diseases of cassava. Cassava Protection Workshop 7-12 November 1977. CIAT Cali Columbia. pp: 85-93.
- Lozano, J.C. 1972. Status of virus and mycoplasma like diseases of cassava. In Proc. Of IDRC/IITA cassava mosaic workshop. IITA Ibadan, Nigeria. Pp: 2-12.
- Lozano, J.C. 1975. Bacterial blight of cassava. *PANS* 21(1): 38-41.

- Lozano, J.C. 1976. Bacterial wilt of cassava. PANS 21(1): 38-43.
- Lozano, J.C. 1977. General consideration on cassava pathology. Proc. cassava protection workshop. CIAT Cali Columbia. 7-12 November 1977. pp 17-27.
- Lozano, J.C. 1986. Cassava bacterial blight: A manageable Disease. Plant Disease. 70(12): 1089-1093.
- Lozano, J.C. and A. Belloti. 1978. *Erwinia carotovora* var. *carotovora*, causal agent of bacterial stem rot of cassava: etiology, epidemiology and control. PANS 24(4):467-479.
- Lozano, J.C. and L. Sequeira. 1974. Bacterial blight in Columbia. II. Epidemiology and control. Phytopathology 64: 83-88.
- Lozano, J.C. and R.H. Booth. 1974. Diseases of cassava (*Manihot esculenta* Crantz.). PANS 20: 30-54.
- Lozano, J.C. and R.H. Booth. 1976. Diseases of cassava. CIAT. 45 pp.
- Lozano, J.C., A. Belloti, J.A. Reyes, R. Howeler, D. Leihner and J. Doll. 1981. Field problems in cassava. CIAT Cali, Columbia.
- Mabasa, K.G. 2007. Epidemiology of Cassava mosaic disease and molecular characterization of cassava mosaic viruses and their associated whitefly (*Bemisia tabaci*) vector in South Africa. Disertation School of molecular and cell biology, Faculty of Science, University of the Witwatersrand Johannesburg. 114 pp.
- Machmud, M. 1986. Bacterial wilt in Indonesia In G.J. Persley (Eds) Proc. ACIAR, Bacterial wilt disease in Asia and South Pacific. Canberra-Australia. ACIAR 13: 32-34.
- Machmud, M. 1992. Pengelolaan penyakit layu kacang tanah. hlm: 7-18. Dalam N. Saleh, T. Adisarwanto dan A. Winarto (Edts). Perbaikan komponen Teknologi Budidaya Kacang Tanah. Balai Penelitian Tanaman Pangan, Malang.
- Maduawesi, J.N.C. 1975. Observations on the *Cercospora* leaf-spot disease of cassava. Nigerian J. of Plant Protection 1(1): 29-37.
- Mahungu, N.M., M. Bidiaka, H. Tata, S. Lukombo, and S. N'luta. 2003. Cassava brown streak disease-like symptoms in Democratic Republic of Congo. Roots 8: 8-9.
- Makambila, C. 1994. The fungal disease of cassava in the republic of Congo, Central Africa. African Crop Sci. J. 2(4): 511-517.
- Mallowa, S.O., D.K. Isutsa, A. W. Kamau, and J.P. Legg. 2011. Effectiveness of phytosanitation in cassava mosaic disease management in a post-epidemic area of western Kenya. ARPNJ. of Agric. and Biological Sci. 6(7): 8- 12.
- Maloy, O.C. 2005. Plant disease management. The American Phytopathological Society. 12 pp.

- Mamba-Mbayi, G., P. Tshilenge-Djim, K.K. Nkongolo, and A. Kalonji-Mbuyi. 2014. Characterization of Congolese strain of *Xanthomonas axonopodis* pv. *manihotis* associated with cassava bacterial blight. *American J. of Plant Sci.* 5: 1191-1201.
- Manyi, M.M., C. Bragard, S. Winter, A.K. Mbunyi, K.K.C. Nkongolo, and D.T. Kanana. 2014. Molecular identification of Cassava mosaic Begomoviruses associated with Cassava mosaic disease in the DR-Congo using primer pairs. *British BioTech. J.* 4(5): 579-588.
- Maraite, H. and D. Perreux. 1979. Comparative symptoms development in cassava after infection by *Xanthomonas manihotis* *X. cassavae* under controlled condition In E.R. Terry, G.J. Persly SCA Cook (ed.) *Cassava bacterial blight in Africa, past, present and future. Report of an interdisciplinary workshop, IITA Ibadan Nigeria 1978 Centre for Overseas Pest Research.* London. P: 17-24.
- Mariscal, A.M., R.V. Bergantin, and D.A. Troyo. 2002. Cassava breeding and varieties release in the Philippines. *Asia cassava workshop.* PDPF 42 pp.
- Markson, A.A., A.C. Amadioha, G. Omosun, D. Ukeh, S.E. Udo, E.J. Umana, and B.E. Madunagu. 2011. Control efficiency of *Botryodiplodia theobromae* (PAT.) by essential oil of *Aframomum melegueta* (K. Schum.) seed from South-south Nigeria. *International Sci. Res. J.* 3: 88-92.
- Martinez, E.I.C and G.T. Pinto. 2001. First report of frog skin disease in cassava (*Manihot esculenta*) in Venezuela. *Plant Disease* 85(12): 1285.
- Maruthi, M.N., R.J. Hillock, K. Mtunda. 2005. Transmission of Cassava Brown streak virus by *Bemisia tabaci*. *J. Phytopathology* 153(5): 307-312.
- Marys, E. and M.L.I. Mayoral. 2008. Isolation and characterization of a new Venezuelan strain of Cassava common mosaic virus. *Annals. Applied Biology* 127(1): 105-112.
- Mathew, A.V. and V. Muniyappa. 1993. Host range of Indian cassava mosaic virus. *Indian Phytopathology* 96: 16-23.
- Mbanzibwa, D.R., Y.P. Tian, A.K. Tugume, B.L. Patil, J.S. Yadav, B. Bagewadi, M.M. Abarshi, T. Alicai, W. Changadeya, J. Mkumbira, M.B. Muli, S.B. Mukasa, F. Tairo, Y. Buguma, S. Kyamanywa, A. Kullaya, M.N. Maruthi, C.M. Fauquet, and J.P.T. Valkonen. 2011. Evaluation of Cassava brown streak disease associated viruses. *J. General Virology* 92: 974-987.
- Mbanzibwa, D.R., Y.P. Tian, A.K. Tugume, S.B. Mukasar, F. Tairo, S. Kyamanywa, A. Kuliaya, and J.P.T. Valkonen. 2011. Simultaneous virus-specific detection of the two cassava brown streak-associated viruses with RT-PCR reveals wide distribution in East Africa, mixed infection, and infection in *Manihot glaziovii*. *J. of Virological Methods* 171(2): 394-400.

- Messiga, A.J.N.A., M. Mwangi, R. Bandyopadhyay and C.Nolle. 2004. The status of fungal rots as a constraint to cassava production in the Pouma District of Cameroon. Proc. 9th Symp. ISTRC 31 October-5 November 2004. 9 pp.
- Mohammed, I.U., M.M. Abarshi, B. Muli, R.J. Hillocks, and M.N. Maruthi. 2012. The symptom and genetic diversity of Cassava brown streak viruses infecting cassava in East Africa. *Advance in Virology*. 10 pp.
- Monde, G., P. Bolonge, F. Bolamba, J. Walangululu, S. Weinter and C. Bragard. 2013. Impact of African cassava mosaic disease on the production of fourteen cassava cultivars in Yangambi, Democratic Republic of Congo. *Tropicicultura* 31(2): 91-97.
- Monger, W.A., S. seal, A.M. Issac, and G.D. Foster. 2001 b. Molecular characterization of the Cassava Brown streak virus coat protein. *Plant Pathology* 50: 527-534.
- Monger, W.A., S. seal, A.M. Issac, and G.D. Foster. 2001b. Molecular characterization of the Cassava Brown streak virus coat protein. *Plant Pathology* 50: 527-534.
- Monger, W.A., S. Sewal, S. Cotton, and G.D. Foster. 2001a. Identification of different isolates of Cassava Brown streak virus and development of a diagnostic test. *Plant Pathology* 50: 768-775.
- Montiel, F.M. and H.L. Isla. 2000. Root rot of cassava (*Manihot esculenta* Crantz.) caused by *Phytophthora* sp. In Cuba. *Centro Agrícola* 27(3): 85-86.
- Moses, E., C. Nash, R.N. Strange, and J.A. Bailey. 1996. *Colletotrichum gloeosporioides* as the cause of stem tip dieback of cassava. *Plant Pathology* 45: 864-871.
- Moses, E., S. Akrofi and G.A. Mensah. 2007. Characteristics and control of a new Basidiomycetous root rot of cassava (*Manihot esculenta* Crantz.) in Ghana. Proc. 13 th Symp. ISTRC p: 3007-3011.
- Msikita, W., B. Bissang, B.D. James, H. Baimey, H.T. Wilkinson, M. Ahounou and R. Fagbemisi. 2005. Prevalence and severity of *Natrassia mangifera* root and stem rot patogen in Benin. *Plant Disease* 89: 12-16.
- Msikita, W., B. James, E. Nnodu, J. Legg, K. Wydra, and F. Ogbe. 2000. Disease control in cassava farms: IPM field guide for extention agents. IITA, Lagos. 26pp.
- Msikita, W., B. James, H.T. Wilkinson and J.H. Juba. 1998. First report of *Macrophomina phaseolina* causing pre-harvest cassava root rot in Benin and Nigeria. *Plant Disease* 81(12): 1402 (Abstract).
- Msikita, W., P.E. Nelson, J.S. Yaninieck, M. Ahounou and R. Fagbemisi.1996. First report of *Fusarium moniliforme* causing cassava root, stem and storage rot. *Plant Disease* 80: 823 (Abstract).
- Mulyaningsih, E.S. 2009. Pemanfaatan Agrobacterium untuk transformasi genetik

- tanaman dan jamur. *Bio Trends*. 4(1): 26-30.
- Muniyappa, V. 1992. Cassava Indian mosaic bigeminivirus. Plant virus online. Description and list from the VIDE database. 6 pp.
- Mwangi, M., R. Bandyopadhyay, A.G.O. Dixon and W. Tatahany. 2004. The status of fungal rot disease as constraint to cassava production and utilization in Eastern Democratic Republic of Congo. Proc. 9th Symp. ISTRC 31 October - 5 November 2004.11 pp.
- Mware, B.O., E.M. Ateka, J.M. Songa, R.D. Narla, F. Olubayo, and R. Amata.2009. Transmission and distribution of Cassava Brown streak virus disease in cassava growing areas of Kenya. *J. Appl. BioSci*. 16: 864-870.
- Nakagawa, K. 1978. Report guidance in agricultural techniques for three companies in Lampung province. JICA.
- Ngeve, J.M., A.G.O. Dixon, and E.N. Nukenine. 2005. The influence of host genotype X environment interactions on the response of cassava anthracnose disease in diverse agro ecologies in Nigeria. *African Crop Sci. J.* 13 (1): 1-11.
- Ngho Dooh, J.P., Z. Amabng, A.T. Iwola, A. Heu, P. Kosma, E.J. Maho Yalen, and B. Tih Goghomu. 2014. Screening and the effect of extract of *Thevetia peruviana* and development of *Colletotrichum gloeosporioides*, causal agent of cassava anthracnose disease. *E3 J. of Agric. Res. and Dev.* 4(4): 054-065.
- Ngure, G.K. 2012. The occurrence and integrated management of Cassava brown streak disease in Coastal Kenya. <http://erepository.uonbi.ac.ke/8080/xmlui/handle/123456789/6819>.
- Nichols, R.F.W. 1950. The brown streak disease of cassava, distribution, climatic effects and diagnostic symptoms. *East African Agric. J.* 15(3): 154-160.
- Nishiyama, K., N.H. Achmad, W. Suparman, and T. Yamaguchi. 1980. Causal agents of cassava bacterial wilt in Indonesia. *Contribution No.59*. 19 pp.
- Noerwijati, K. dan M. Rahayu. 2004. Ketahanan klon harapan ubi kayu pada fase vegetatif terhadap penyakit layu yang disebabkan oleh *Fusarium* spp. hlm :284-291. Dalam : L. Soesanto (Penyunting). *Prosiding simposium nasional I tentang Fusarium*. Unsoed. Purwokerto.
- Nolt, B.L., A.C. Vilasco and B. Pineda.1991. Improve purification procedure and some serological and physical properties of Cassava common mosaic virus from South America. *Annals Applied Biology* 118: 105-113.
- Nott, B.L., B.L. Pineda, and A.C. Velasco.1992. Survey of cassava plantations in Columbia for virus and virus-like diseases. *Plant Pathology* 41: 348-354.
- NRI. 2014. Root and tuber crop. NRI post harvest loss reduction centre. Natural

- resources Institute- University of Greenwich. 4 pp.
- Ntawuruhunga, P., and J. Legg. 2007. New spread of Cassava Brown streak virus disease and its implications for the movement of cassava germplasm in the East and Central African regions. Crop Crisis Control Project.6 pp.
- Nunung et al. 1988. Pengaruh serangan penyakit layu bakteri (*Pseudomonas solanacearum* Smith.) pada ketahanan klon-klon ubi kayu di Indonesia. Szeminar Hasil Penelitian Tanaman Pangan Balittan Bogor. Hlm: 437-443.
- Nunung, H.A., A. Suhendar dan E. Sutarwo. 1987. Pengaruh pemupukan terhadap intensitas serangan penyakit hawar daun ubi kayu dan mati pucuk (*Xanthomonas campestris* pv. *manihotiis*). Balittan Bogor. hlm: 511-515.
- Nunung, H.A.Y. dan M.A. Suhendar. 1992. Kehilangan hasil ubi kayu oleh penyakit hawar daun *Xanthomonas campestris* pv. *manihotis*. Laporan Penelitian 1991/92. Balittan Bogor.
- Nunung, H.A.Y., N. Zuraida, J. Wargiono, dan Suparman. 1985. Ketahanan klon-klon ubi kayu terhadap bakteri hawar daun/mati pucuk yang disebabkan oleh *Xanthomonas campestris* pv. *manihotis*. Buletin Penelitian. No.1:1-10.
- Obilo, O.P. and B. Ikotun. 2008. Effect of cancer size on availability of cassava planting materials in Nigeria. African Crop Sci. J. 16(3): 203-209.
- Obilo, O.P. and B. Ikotun. 2009. The effect of cassava anthracnose disease on the yield of some cassava cultivars in Eastern Nigeria. J. of Applied Bioscience. 14: 761-767.
- Obilo, O.P., B. Ikotun, G.O. Ihejirika, and I.I. Ibeawuchi. 2009. Reaction of selected cassava cultivars to cassava anthracnose disease (CAD) in Nigeria. J. of animal & Plant Sciences 3(2): 196-193.
- Obilo, O.P., B. Ikotun, G.O. Ihejirika, L.L. Ibeawuchi, and T.T. Oben. 2009b. The effect of the incidence of cassava anthracnose disease (CAD) on the performance and yield of cassava cultivars. Crop Protection 29(5): 482-485.
- Ogbe, F.O., G.I. Atiri, A.G.O. Dixon, and G. Thottapipilly. 2003. Symptom severity of cassava mosaic disease in relation to concentration of African cassava mosaic virus in different cassava genotypes. Plant Pathology 52: 84-91.
- Ogunjobi, A.A., O.E. Fagade, A.G.O. Dixon, and N. Amusa. 2007. Pathological variation in Cassava bacterial blight (CBB) isolates in Nigeria. World Applied Sci. J. 2(6): 587-593.
- Ogunjobi, A.A., O.E. Fagade, and A.G.O. Dixon. 2008. Physiological studies on *Xanthomonas axonopodi* spv. *manihotis* (Xam) strains isolated in Nigeria. Advance in Biological Res. 2(5-6): 90-96.
- Ogwok, E., B.L. Patil, T. Alicai, C.M. Fauquet. 2010. Transmission studies with



- Cassava brown streak Uganda virus (Potyviridae: Ipomovirus) and its interaction with abiotic and biotic factors in *Nicotiana benthamiana*. J. Virological methods 169(2): 296-304.
- Ohunyon, P.U. and J.A. Ogio-Okorika. 1979. Eradication of cassava bacterial blight/ cassava improvement in the Niger delta of Nigeria. In Cassava bacterial blight in Africa: Past, present and future. Report interdisciplinary workshop. IITA, Ibadan Nigeria pp: 55-57.
- Okechukwu, R.U., A.G.O. Dixon, M.O. Akoroda, M. Mwang and R. Badyppadhyay. 2009. Root rot resistance in new cassava varieties introduced to farmers in Nigeria. Experimental Agric. 45: 15-24.
- Okigbo, R.N., R. Putheti, and C.T. Achusi. 2009b. Post-harvest deterioration of cassava and its control using extracts of *Azadirachta indica* and *Aframomum melegueta*. E-J. of Chemistry 6(4): 1274-1280.
- Okigbo, R.N., R.E. Okorie and R. Putheti. 2009a. In vitro effect of garlic (*Allium sativum* L.) and African basil (*Ocimum gratissimum* L.) on pathogens isolated from rotted cassava roots. Inverciencia 34(10): 742-747.
- Okoi, A.I., N.O. Alobi, M. Obi-Abang, M.O. Eko, and E.A. Okon. 2014. Evaluation of two plant extracts for the control of post harvest fungal diseases of cassava (*Manihot esculenta* Crantz.) in Calabr, Nigeria. Intert. J. of Cassava and Potatoes Res. 2(1): 032-036.
- Oliveira, S.A.S., C.S. Hohenfeld, V.S. Santos, F. Hardad E.J. de Oliveira. 2013. Resistance to Fusarium dry root rot disease in cassava accession. Pesquisa Agropequaria Brasileira 48(10): 4 pp.
- Oliveira, S.A.S., V.S. Santos, and E.J. Oliveira. 2014. Fast screening methodology for the assessment of cassava resistance to the passalora disease complex. IHC Brisbane (Abstract).
- Onyango, D.M. and D.M. Mukunya. 1982. Distribution and importance of *Xanthomonas manihotis* and *X. cassavae* in East Africa In Root crops in Eastern Africa. Proc. of workshop. IDRC. Kigali, Rwanda. 23-27 November 1980.
- Onyeka, T.J., A.G.O. Dixon and E.J.A. Ekpo. 2005c. Assessment of laboratory methods for evaluating cassava genotypes for resistance to root rot disease. Mycopathologia 159(3): 461-467.
- Onyeka, T.J., A.G.O. Dixon and E.J.A. Ekpo. 2005d. Field evaluation of root rot disease and relationship between disease severity and yield of cassava. Expl. Agric. 41: 357-363.
- Onyeka, T.J., A.G.O. Dixon and E.J.A. Ekpo. 2005b. Identification of level of re-

- sistance to cassava root rot disease (*Botryodiplodia theobromae*) in African landrace and improved germplasm using in-vitro inoculation methods. *Euphytica* 145(3): 281-288.
- Onyeka, T.J., E.J.A. Ekpo and A.G.O. Dixon. 2005a. Virulence and host-pathogen interaction of *Botryodiplodia theobromae* isolates of cassava root rot disease. *J. Phytopathology* 153(11): 7266-729.
- Onyeka, T.J., O.F. Owolade, A.A. Ogunjobi, A.G.O. Dixon, R. Okechucwu, R. Bandyopadhyay, and B. Bamkefa. 2008. Prevalence and severity of bacterial blight and anthracnose diseases of cassava in different agroecological zones of Nigeria. *African J. of Agric. Res.* 3(4): 297-304.
- Otim-Nape, G.W. 1980. Cassava bacterial blight in Uganda. *Tropical Pest Management* 26(3): 274-277.
- Otim-Nape, G.W. 1984. *Botryodiplodia theobromae* stem rot of cassava and methods of selecting for resistance. 2nd Symp. ITRC Cameroon. 14-19 August 1983.
- Otim-Nape, G.W. and D. Ingoot. 1985. The effect of plant spacing and number of shoots of cassava on diseases. National Root crops Improvement Programme. Serere Agric. Res. Station. P: 139-152.
- Otim-Nape, G.W., A. Bua, J.M. Thresh, Y. Baguma, S. Oswald, G.N. Ssemakula, G. Akola, B. Byabakama, J. Colvin, R.J. Cooter, and A. Martin. 2000. The current pandemic of Cassava mosaic virus disease in East Africa and its control. Natural resources Institute, Chatham.
- Otim-Nape, G.W., M.W. Shaw, and J.M. Thresh. 1997. The effect of cassava mosaic on yield and compensation in mixed stand of healthy and infected cassava. *Annals Appl. Biol.* 130(3): 503-521.
- Oyeda S. and V. Vardier. Methods for detecting the Cassava bacterial blight pathogen: a practical approach for managing the disease. CIAT and IRD. 1 pp.
- Pacumbaba, R.P. 1987. A screening method for detecting resistance against cassava bacterial wilt. *J. Phytopathology.* 119(1): 1-6.
- Palomar, M.K. 1980. Screening of cassava variety for resistance to brown leaf-spot. Baybay, kyle. *Visca* 1980 3 p (PCARR Project No.343) (Abstr.).
- Perera, W.G.S. and E.M. Dassanayake. 2002. Identification and detection of Cassava mosaic virus in cassava. *Ann. Sri Lanka Depart. of Agric.* 4: 313-315.
- Persley, G.J. 1979. Studies on the survival and transmission of *Xanthomonas campestris* on cassava seed. *Annals of Applied Biology* 93: 159-166.
- Persley, G.J. 2008. Studies on the survival and transmission of *Xanthomonas manihotis* on cassava seed. *Annals. Applied Biology* 93(2): 159-166.

- Poubon, C.F.N., E.T. Arah, M. Tehuanyo and F. Tengoua. 2005. Farmers perception of cassava pest and indigenous control methods in Cameroon. *Pest Management* 51(2): 157-164.
- Prasangka, H.M.S., N. Salim, and M.M. Razak. 2008. Evaluation of susceptibility of cassava germplasm to cassava mosaic disease. *J. National Sci. Foundation of Sri Lanka*.36(1): 99-102.
- Prayogo, Y. dan Sri Hardaningsih. 2002. Identifikasi penyebab penyakit mati pucuk pada ubi kayu dan pengendaliannya. Hlm: 275-282 Dalam Tastra, I.K, J. Sujitno, D.M. Arsyad, Suharsono, M. Sudarjo, Herianto, J.S. Utomo, dan A. Taufiq (Edts.). Peningkatan produktivitas, kualitas, efisiensi dan sistem produksi Tanaman Kacang-kacangan dan umbi-umbian menuju ketahanan pangan dan pengembangan agribisnis. Puslitbang Tanaman Pangan. Bogor.
- Purnawati, A. and H. Nirwanto. 2013. Endophytic bacteria as biocontrol agents of *Xanthomonas campestris* pv. *manihotis* on cassava in vitro. *Proc. ICGRC*. P.288-
- Purnawati, A. dan H. Nirwanto. 2009. Potensi bakteri endofit sebagai agen pengendali biologi dan aplikasinya pada penyakit hawar daun di sentra ubi kayu di Jawa Timur. Laporan penelitian Fakultas Pertanian Universitas Pembangunan Veteran. Jawa Timur. 26 hlm.
- Pusposendojo, N. 1980. Stored problem of cassava (*Manihot esculenta*) fungi on dried chips. *South East Asia Symp. Plant. Dis. Tropics*, Bangkok. October 1980. 23 pp.
- Rahaju, M., Titik S., dan Sholihin. 1999. Penyaringan ketahanan terhadap penyakit bercak daun (*Cercosporidium henningsii*) pada ubi kayu. Prosiding Seminar Nasional Perhimpunan Fitopatologi Indonesia (PFI) Komda Jateng dan DIY. UNS-Surakarta, 5 Desember. hlm:175-178.
- Rahayu, M. dan. N. Saleh. 2013. Penyakit leles pada tanaman ubi kayu: Bioekologi dan cara pengendaliannya. *Buletin Palawija* No.26: 83-90.
- Rahayu, M., Rajid, B.S., dan N. Saleh. 2011. Fusarium sp. Isolat Mukibat dan patogenitasnya pada ubi kayu. Seminar Akselerasi Inovasi Teknologi untuk mendukung peningkatan produksi aneka kacang dan umbi. Puslitbangtan. Hlm: 515-521.
- Rahayuningsih, St.A., K. Hartojo, M. Anwari, dan Sumartini. 1995. Tanggap kultivar plasmanutufah ubi kayu terhadap penyakit bercak coklat (*Cercospora henningsii* Allesch Deighton) di Inlitkabi Muneng. Kongres Nasional XIII dan Seminar Ilmiah PFI. Mataram 27-29 September 1995. Hlm: 176-179.
- Ramkat, R., A. Calari, F. Maghuly, and M. Laimer, 2011. Occurrence of African cassava mosaic virus (ACMV) and East African mosaic virus-Uganda (EACMV-UG) in *Jatropha curcas*. *BMC Proc.* . 3 pp.

- Razdan, V.K. and S. Gupta. 2009. Integrated disease management: Concepts and Practices. In Integrated pest managements: Innovation-Dev. process. Pp:369-389
- Reighwage, M. 2013. Columbia is key in the fight against cassava witches' broom disease in South East Asia. 4 pp.
- Restrepo, S., M.G. Duque and V. Verdier. 2000. Characterization of pathotypes among isolates of *Xanthomonas axonopodis* pv. *manihotis* in Columbia. Plant Pathology 49: 680-687.
- Rickard, J.E. and D.G. Coursey. 1981. Cassava storage Part I: storage of fresh cassava roots. Tropical Sci. 23: 1-32.
- Rodriguez, F., M. Mendez, M. Romano, and E. Marys. 2007. Diagnosis of Cassava common mosaic virus by electron microscopy and serology. Acta Microscopica 16(2): 261-261-263.
- Rodriquez, M.X. 1998. Production of phytoalexins in cassava (*Manihot esculenta*-Crantz.) root during post-harvest physiological deterioration. Revista Brasileira de Mandioca. 17: 42.
- Rwegasira, G.M. 2009. Aspect of the epidemiology of Cassava Brown streak virus disease in Tanzania. Thesis. Faculty of Science of University of the Witwatersrand, Tanzania.
- Rwegasira, G.M. and C.M. Rey. 2012. Relationship between symptoms expression and virus detection in Cassava brown streak virus-infected plants. J. Agric Sci. 4(7): 246-253.
- Saleh, N. 1986. Penyakit-penyakit virus pada tanaman ubi-ubian. Seminar Balai Penelitian Tanaman Pangan Bogor. Hlm: 396-402.
- Saleh, N. dan B.S. Rajid. 2011. Evaluasi ketahanan varietas/klon ubi kayu terhadap penyakit bercak coklat, *C. henningsii* di lahan kering Lampung. Prosiding Seminar Pendampingan Inovasi Pertanian Spesifik lokasi di Provinsi Lampung, 2011: 137-149.
- Saleh, N. dan M. Hadi. 2012. Pengendalian kimiawi penyakit bercak daun coklat pada ubi kayu. Prosiding Seminar Hasil Penelitian Tanaman Aneka kacang dan Umbi tahun 2012: 610-620.
- Saleh, N., B.S. Rajid dan M. Hadi. 2013. Ketahanan varietas/klon ubi kayu terhadap bakteri hawar secara alami di lapang. Prosiding Seminar Hasil Penelitian Tanaman Aneka Kacang dan Umbi, Puslitbangtan, tahun 2013: 545-552.
- Saleh, N., B.S. Rajid, N. Prasetyaswati dan A. Munip. 2011. Uji adaptasi varietas/klon ubi kayu yang sesuai untuk bahan baku industri di Kalimantan Selatan. Laporan akhir Kerjasama penelitian Balitkabi Malang dengan PT. Bhakti Putra

- Sejati, Kalimantan Selatan. 21 hlm.
- Salah, N., M. Rahayu dan M. Hadi. 2014. Identifikasi dan skrining ketahanan varietas/klon ubi kayu terhadap penyakit leles di lapang. Prosiding Seminar Puslitbangtan , tahun 2014: 537-546.
- Salah, N., S.W. Indiaty, dan M. Rahayu. 2009. Pengendalian hama dan penyakit utama. Dalam J. Wargiono, Hermanto dan Sunihardi (Ed). Ubi kayu. Inovasi Teknologi dan Kebijakan Pengembangan. Puslitbang Tanaman Pangan Bogor. Hlm:168-189.
- Salim, N. and S.H. Bandumala. 2001. Characterization of gemini virus infecting cassava in Sri Lanka, Viduyodaya J. of Sci. 10: 151-165.
- Sandifolo, V.S. 2005. Estimation of crop losses due to different caused in root and tuber crops. The case of Malawi. Proc. of the expert consultation on root crop statistic. FAO corporate Document Repository. 7 pp.
- Santos, R.P., M.G. F. do Carmo, M.S. Parraga, D. Macagnan, and C.A. Lopez. 2004. Avaliacao de cultivar de mandioca, para consume in natura, quanto a Resistencia a mancha parda da folha. Horticultura Brasileira. 22(2): 232-237.
- Sastrahidayat, I.R. 1979. Penyakit-penyakit ketela pohon di Jawa Timur. Kongres Nasional ke V. dan Seminar Ilmiah PFI. Malang 18-20 Januari 1979. 4 hlm.
- Sastrahidayat, I.R. dan A. Cholil. 1979. Studi penyakit antraknose pada ketela pohon. Kongres Nasional ke V dan Seminar Ilmiah PFI. Malang 18-20 Januari 1979. 9 hlm.
- Scott, S.W., S.A. MacFarlane, W.J. McGavin, D. Fargette. 2014. Cassava Ivorian bacilliform virus is a member of the genus Anulavirus. Arch. Virology 159: 2791-2793.
- Semangun, H. 1991. Penyakit-penyakit tanaman pangan di Indonesia. Gadjah Mada University Press, Yogyakarta. 449hlm.
- Semangun, H. 1992. Host index of plant diseases in Indonesia. Gadjah Mada University Press. 351 hlm.
- Semangun, H. 1996. Pengantar Ilmu Penyakit Tumbuhan. Gadjah Mada University Press. Yogyakarta. 754 hlm.
- Silva, J.M., P.R. Carnellosi, T. Bijora, C.U. Facco, M.H.S. Picoli, E.R. Souto, A.J.B. Pliveira, and A.M.R. Almeida. 2011. Immunocapture-RT-PCR detection of Cassava common mosaic virus in cassava obtained from meristem-tip culture in Parana state. Trop. Plant Pathol 36(5):
- Silvester, O., S.U. Aigbe and S.U. Remison. 2010. Minor root rot patogen of cassava (*Manihot esculenta* Crantz.) in Nigeria. Archives Phytopathology and Plant

- Protection 43(13): 1342-1345.
- Singh.1980. A check list of host and diseases in Malaysia. Min. Agric. Malaysia. 280 pp.
- Smith, G. 2014. Emergency taskforce to tackle curse in Cambodia. [http://www.ciatnews.cgiar.org/2014/12/08/emergency-taskforce to tackle cassava curse in Cambodia](http://www.ciatnews.cgiar.org/2014/12/08/emergency-taskforce-to-tackle-cassava-curse-in-cambodia). 6pp.
- Soko, M.M., N.M. Mahungu, and M.P.K.J. Theu. 2007. The effect of East African cassava mosaic virus disease on cassava (*Manihot esculenta*) planting materials and subsequent yield. Malawi J. of Agric. Sci. 3(1):12-16.
- Soyode, F.O. and O.J. Oyetunji. 2000. Use of morphological characters to identify cassava mosaic disease and Cassava bacterial blight resistance. African Crop Sci. 17(1):25-30.
- Stanley, J. and M.R. Gay. 1983. Nucleotide sequence of cassava latent virus DNA. Nature 301: 260-262.
- Suseno, R. dan S. Andayani. 1975. Penyebab penyakit mosaik pada ketela pohon di Jawa. Kongres Nasional III dan Seminar Ilmiah PFI. Cibogo Februari 1975. Hlm: 137-140.
- Takatsu, A. and S. Fukuda. 1988. Current status cassava diseases in Brazil. In: S.K. Hann and F.E. Caveness (Eds.). Integrated pest management for tropical root and tuber crops. Proc. of the workshop on the global status and prospect for integrated pest management of root and tuber crops in the tropic. Ibadan, Oct. 25-30, 1987. Nigeria. p:127-131.
- Takatsu, A., S. Fukuda, S.K. Hahn, and F.E. Caveness. 1990. Integrated pest management for tropical root and tuber crops In Hahn, S.K. and F.E. Caveness (Edts.) Proc. of the workshop on the global status and prospect for IPM of root and tuber crops. Ibadan Nigeria 25-30 October 1987. IITA Ibadan-Nigeria. Pp: 127-131.
- Tan, S.L., and S.L. Goh. 1986. Methods in the screening for field resistance to *Cercospora henningsii* Allescher in cassava. CAB Abstract.
- Teri, J.M., H.D. Thurston, and J.C. Lozano. 1977. The *Cercospora* leaf diseases of cassava. Proc. Cassava Protection Workshop, CIAT Cali Columbia. P:101-116.
- Teri, J.M., P.W. Mtakwa and D. Mshana. 1984. Cassava yield losses from brown leaf spot induced by *Cercospora henningsii*. In E.P. Terry, E.V. Doku, O.B. Arene, and N.M. Mahungu (Eds.). Tropical root crops: Production and uses of the international society for tropical root crops-Africa Branch held in Douala, August 14-19, 1983. Cameroon. p:79-81.
- Theberge, R.I. 1985. Common African Pests and diseases of cassava, Yam, Sweet

- potato and Cocoyam. IITA Ibadan Nigeria.
- Thresh, J.M. and R.J. Cooter. 2005. Strategies for controlling cassava mosaic virus disease in Africa. *Plant Pathology* 54: 587-614.
- Thresh, J.M., G.W. Otim-Nape, and D. Fargette. 1998. The control of African cassava mosaic virus disease: Phytosanitation and/or resistance? Pp: 670-677 In A. Hadidi, R.K. Khetarpal, H. Koganrzawa (Ed.) American Phytopathological Soc. Press.
- Thresh, J.M., G.W. Otim-Nape, J.P. Legg and D. Fargette. 1997. African cassava mosaic virus disease: the magnitude of the problem. *African J. of root and tuber crops* 2: 13-19.
- Tominaga, T., H.A.Y. Nunung, K. Nishiyama, and A.Ezuka. 1978. *Xanthomonas manihotis* (Arthaud-Berthed and Bondar) Starr, the cause of Cassava bacterial blight in Indonesia. Contribution, Central Res. Institute for Agriculture. Bogor No.38. 16 pp.
- Triharso. 1978. Beberapa gatra pengendalian penyakit tanaman dan kemungkinan penerapannya di Indonesia. Yayasan Pembina Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta. 33 hlm.
- Triharso. 1994. Dasar-dasar perlindungan tanaman. Gadjah Mada University Press. Yogyakarta. 362 hlm.
- Trujillo, C.A., N.A. Rojas, L. Poulin, C.A. Medina, A. Tapiero, S. Restrepo, R. Koebnik and A.J. Bernai. 2014. Population typing of the causal agent of Cassava bacterial blight in the Eastern plain of Columbia using two types of molecular markers. *BMC Microbiology* 14: 8 pp.
- Ubalua, A.O. and E. Oti. 2007. Antagonistic properties of *Trichoderma viridae* on post harvest cassava root pathogens. *African J. of BioTech.* 6(2): 2447-2450.
- Ubalua, A.O. and E. Oti. 2008. Evaluation of anti-microbial properties of some medicinal plants for fresh cassava root preservation. *Pakistan J. of Nutrition* 7(5): 679-681.
- Udoudoh, P.J. 2011. Post-harvest storage and spoilage of cassava tubers (*Manihot* spp.) in Ikot Ekpene, Akwa Ibom state, Nigeria. *J. of Environmental Issues and Agriculture in Developing countries* 3(2):34-38.
- Umemura, Y. and K. Kawano. 1983. Field assessment and inheritance of resistance to cassava bacterial blight *Xanthomonas campestris*. *Crop Sci.* 23: 1127-1132.
- Untung, K. 1993. Pengantar Pengelolaan Hama Terpadu. Gadjah Mada University Press Yogyakarta/ 273 hlm.
- Valencia, M., J.A. Arroyave, R. Laberry, C. Lozano. 1993. Study on transmission on the causal agent of the cassava *witches'broom*. *Fitopatologia* 17(1-2): 39-45.

- Van der Plank, J.E. 1963. Plant disease, epidemic and control. Acad. Press. New York. 349 pp.
- Vauterin, L., B. Hoste, K. Kersters, and J. Swings. 1995. Reclafication of *Xanthomonas*. International J. of Systematic Bacteriology 45: 472-489.
- Verdier, V., G. Mosquera, and K. Assigbetse. 1998. Detection of the Cassava bacterial blight patogen *Xanthomonas axonopodis* pv. *manihotis* by polymerase chain reaction. Plant increase 82(1): 79-83.
- Verdier, V., P. Dongo, and B. Boher. 1993. Aseessment of genetic diversity among strains *Xanthomonas campestris*pv. *manihotis*. J. of General Microbiology 159: 2591-2601.
- Verdier, V., Y. Berthier, P. Dongo, D. Chevrier, and B. Boher. 1992. Molecular epidemiology of *Xanthomonas campestris* pv. *manihotis* causal agent of cassava bacterial blight, Plant Patogenic bacteria. Versailles (France). P. 709-713.
- Vi Le, H. Trinh, Q. Mai, and K. Wyckhuys. 2014. Elucidating identity of cassava witches' broom vectors in Vietnam: A step-wise approach. <https://esa.confex.com/esa/2014/webprogram/paper86419.htm>.
- Wagaba, H., G. Beyene, C. Trembley, T. Alicai, C.M. Fauquet, and N.J. Taylor. 2013. Efficient transmission of Cassava brown streak disease viral pathogens by chip bud grafting. BMC Res. Notes 6: 9 pp.
- Wall, G.C. 2000. Bacterial blight of mendioka (cassava) (*Xanthomonas campestris* pv. *manihotis*). ADAP 2000-1. 1 p.
- Wasswa, P., T. Alicai, and S.B. Mukasa. 2010. Optimisation of invitro techniques for Cassava brown streak viruselimination from infected cassava clones. African Crop Sci. J. 18(4): 235-241.
- Were, H.K., S. Winter, and E. Maiss. 2004. Viruses infecting cassava in Kenya. Plant Dis. 88: 17-22.
- Wheatley, C.C. 1989. Conservation of cassava in polyethilen bags. CIAT study guide 04sc07.06 CIAT Columbia.
- William, M.N.M., E.R. Mbega, and R.B. Mabagala. 2012. An outbreak of anthracnose caused by *Colletotrichum goesporioides* f.sp. *manihotis* in cassava in North Western Tanzania. American J. of Plant Sci. 3: 596-598.
- Winter, S., M. Koerbler, B. Stein, A. Pietruszka, M. Paape, and A. Bulgereitt. 2010. Analysis of Cassava brown streak viruses reveals the presence of distint species causing Cassava brown streak disease in East Africa. Jounal General Virology 91: 1365-1372.
- Wokocho, R.C and N.E. Nneke. 2011. Cassava Antracnose disease and varietal screening for resistance in Akwa Ibom state of Nigeria. J. of Agric. Sci. and



- Tech. . B1: 889-895.
- Wokocha, R.C and N.E. Nneke. 2011. Cassava Antracnose disease and varietal screening for resistance in Akwa Ibom state of Nigeria. J. of Agric. Sci. and Tech. B1: 889-895.
- Wydra, K. and W. Msikita. 1998. Overview of present situation of cassava disease in West Africa In Proc. 6th Trienn. Sym. Intern. Soc.Trop. Root Crops. (Eds.) M.O. Akoroda and I. Ekanayake. African Branch (ISTRC-AB) pp: 198-206 Lilongwe, 22-28 October 1995.
- Zettler, F.W. and M.S. Elliott. 1986. An antigenically distinct strain of Cassava common mosaic virus infecting *Cnidoscolus aconitifolia*. Phytopathology 76: 632-638.
- Zhou, X., Y. Liu, L. Calvert, C. Munoz, G.W. Otim-Nape, D.J. Robinson and B.D. Robinson. 1997. Evidence that DNA-A of a gemini virus associated with severe cassava mosaic disease in Uganda has arisen by inter-specific recombination. J. of General Virology 78: 2101-2111.
- Zinsau, V., K. Widra, B. Ahohuendo, and B. Hiau. 2004. Effect of soil amendments, intercropping, and planting in combination on the severity of Cassava bacterial blight and yield in two ecozone of West Africa. Plant Pathology 53(5): 585-595.